DATE: 16 Oct 00

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN) of the AN/TPS-59(V)3

Row Receiver NSN 5840-01-147-9458

SOW-02-844-2-89884B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Row Receiver NSN 5840-01-147-9458, part number 7327397G1, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

AN/TPS-59(V)3 Row Receiver NSN 5840-01-147-9458

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Row Receiver NSN 5840-01-147-9458, part number 7327397G1, CAGE 03538. This document contains requirements to restore the Row Receiver to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.
- 2.1 Military Standards

MIL-STD-2073-lD DoD Standard Practice for Military Packaging MIL-STD-129 DoD Standard Practice for Military Marking

2.2 <u>Other Government Documents and Publications</u>. The latest issues of those documents cited below shall be used.

7327397 Assembly Drawing, Receiver, Row

7327397G1 Parts List, Receiver, Row

77A100747 Test Requirement, Receiver, Row

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 <u>Industry Standards</u>

ANSI/ISO/ASQC Quality Systems - Model for Quality Assurance in Final

Q9003-1994 Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration Management

Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn: (Code 851-3), 814 Radford Blvd Suite 20320, Albany, GA. 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

3.1 The Contractor shall repair the Row Receiver strictly in accordance with the requirements as specified in 7327397 and 7327397G1, CAGE 03538. Testing shall be conducted in accordance with 77A100747. The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Items being prepared for long-term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for immediate use and domestic (CONUS) delivery shall be in accordance with level "B" requirements. Level "A" preservation and packaging shall normally be required, due to the anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use within CONUS) will be identified, in writing, by the Weapon System Manager (WSM), Code 844-2.
- 3.2.2 Marking shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For

Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 <u>Reports.</u> The Contractor shall develop a Test Data Report (TDR) referencing this SOW, the NSN, part number, and serial number of the Row Receiver and all sub-assemblies. The TDR shall reference the specific paragraph of the Test Requirement, 77A100747, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "<u>MbMatcom844-2@matcom.usmc.mil</u>" Mailing address is: Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (229) 639-5498 or DSN 567-5498, Attn: Weapons System Manager, (Code 844-2).

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved QMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (1701-1718), 1215 Jafferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstending any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid DMS control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO. B. EXH		B. EXHIBIT	1	C. CATEGORY:				×					
D. SYSTEM/ITEM			E. CONTRACT/PR			F. CONTRA							
	ver (AN/TPS-59(V)3)											
1. DATA ITEM NO.	2. TITLE OF DATA ITEM					3. SUBTITLE							
A001	Eng	gineering	ineering Change Proposal				Configuration Management						
4. AUTHORITY /Data Acquisit			5. CONTRACT REFEREN	NCE			6. REQUIRI		(0.5.1)	•	i		
	CMAN-80639C 9. DIST STATEMENT	10 (000000	nv .	SOW 3.3				MCLBA (851)					
7. DD 250 REQ LT	REQUIRED	10. FREQUENCY ASREQ		12. DATE OF FIRST SUBMISSION See Blk 16			14. DISTRIBUTION		b. COPIES				
8. APP CODE		11. AS OF DA					a	. ADDRESSEE	Final				
Α	A							Draft Reg Repro					
16. REMARKS	_						<u>MC</u> LI	BA (851-2)	0	1	0		
	ctor format using		-			orized.							
Blks 10 & 12 -	ECPs shall be suffect the baseline of	bmitted f	or all proposed	d changes wh	iich								
						s ijnon							
ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.							•	 		 			
ECPs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil								ļ. ,					
mbmatcomconf	ngmngmnt@matco	om.usmc	.mil				 				i !		
Distribution Sta	atement A: Appro	ved for r	oublic release.	distribution i	is unl	imited.							
	11	•	,										
							}				├		
							<u> </u>	·	<u> </u>				

											!		
							ļ		-				
							ļ						
							ļ				 		
											 		
									 	L			
							15.7-7-1						
G. PREPARED BY	$-\Delta \Lambda_1$	7	H. DATE	I. APPRI	OVED R	Y	15. TOTAL		J. DAT	E I	0		
Sim O	O (WAI	Po	10/02/1	7		- 7		/_	~	20	المديم		
DD FÖRM 1423-1	1, AUG 96 (EG)		PR	EVIOUS EDITION N	MAY BE	USED.			Page	of	Pages		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching axisting data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (077)-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwitistanding any other provision of law, no person shall be subject to any prenity of religing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT		C. CATEGORY:								
				TDP .	TM		<u> </u>				l i	
D. SYSTEM/ITEM	ver (AN/TPS-59(CONTRACT/PR	NO.		F. CONTR	ACTOR					
	· · · · · · · · · · · · · · · · · · ·	V)3)				2 AUDTITUE					17. PRICE	
1, DATA ITEM NO.	2. TITLE OF DATA ITEM					3. SUBTITLE						
A002	A002 Request For Deviation						Configuration Management					
4. AUTHORITY (Data Acquise	ition Document No.1		CONTRACT REFERENCE	<u></u>			6. REQUIRING OFFICE				18. ESTI	
	CMAN-80640C	3.	I IIIN O' DEI EIIEN U	SOW 3.3			MCLB		TOTA			
7. DD 250 REQ	9. DIST STATEMENT				F FIRST SUBMISSION		14. DISTRIBUTION					
LT	REQUIRED		REQ		Blk 1		5.5111001101	Τ.	b. COPIES			
8. APP CODE	_	11. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION			a. Addressee		Fi			
A	Α						u	Draft	Draft Reg Repro			
16. REMARKS		<u>. </u>					MCLBA (851-2)	0	1	0	1	
Blk 4 - Contrac	ctor format using	-	=	=			THEEDER (USI 2)	-t	⊢ '	-	1!	
Blks 10 & 12 -	RFDs shall be su	bmitted to o	obtain author	ization to d	leliver						1	
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon					<u> </u>		ļ —					
									11			
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.								<u> </u>	1 -	11		
									 		11	
RFDs shall be	transmitted via e- figmngmnt@matc	mail to the	following ad	dress:				-	— —	-	11	
пощасотсоп	ngmigmit@mate	om.usmc.m	111							 	11	
Diamikasias Co	otomont A - A -	anad fam ===	hlio moloca-	diatelburi		limitad				ļ	[]	
DISTITUTION SU	atement A: Appro	oved for pu	one release,	aistrioutioi	1 15 UII	ппппец		·			11	
								-	 		11	
											[]	
								 			1	
											1	
										 	1.	
									-	\vdash	1:	
											1.	
										-	1	
									 - –	\vdash	1:	
											1	
							- · · · · · · · · · · · · · · · · · · ·	 	<u> </u>	-	1:	
								 		-	1	
									-		1	
									-		11	
								_	 	 	1 '	
											1	
								-	· —		l i	
									 	 	#	
									-	-	Li	
									·		1	
										·	l i	
								-		-	1	
										-	1:	
								-		 	1	
								-	_		1	
											1	
								\perp		ļ ——	1 :	
											1	
	4						15. TOTAL	• 0		0	1:	
G. PREPARED BY	$\sim d$	1	H. DATÉ	I. APPE	ROVED B	Y .	,	J. DAT	E		H	
1) 2 - 1	~ (1 /11/2		10/12/	otil -	ے "سسیہ	· /		7		ا زس		
1 2 6 8 70 / 70 () 7		1 A M/ /	1011171			27/	/		/ / "	- /	1 1	